

Appl. No. 10/652,649
Amdt. dated April 18, 2005
Reply to Office Action of March 8, 2005

PATENT

Amendments to the Drawings:

The attached sheets of drawings includes changes to Figs. 2, 4, and 5. These sheets, which includes Fig. 2, 4 and 5 replaces the original sheets including Fig. 2, 4, and 5.

Attachment: Replacement Sheet
Annotated Sheet Showing Changes

REMARKS/ARGUMENTS

This Amendment is responsive to the Action of the Examiner mailed March 8, 2005. The purpose of this Amendment is to comply with all the requirements of the Examiner and place this Patent Application in condition for allowance.

In the Drawings

The Examiner has objected to Figs. 1 and 2, pointing out that in Fig. 2 the numeral "100" appears directed at a wire. In Fig. 2, "100" has now has been supplied with an arrow so that it relates to the other half of the lamp on the other side of the cabinet.

In Figs. 4 and 5, the numerals "404" have been deleted. It is submitted that the specification is clear and the numeral coupled to structure description is not required.

Further, in Fig. 2, the ventilation aperture is now shown, as previously described in the Specification and Claims.

In the Specification

In the Specification, paragraph [0030] has been amended to eliminate the reference to "280" and substitute --200-- therefore.

In the Claims

The Examiner has objected to the claims under 35 USC § 112, second paragraph. Correction has been made as follows:

In claim 1, the terms "at least one drawer" and "the at least one drawer" now appear as recommended by the Examiner.

In claim 2, the "first opening" of the cabinet now appears.


In claim 7, the term "an optical axis" appears. The term "the drawer" provides the proper antecedent basis. The term "the drawer" now appears in the claim as amended. Finally, the term "registrable" has been replaced with -- registered--.

CONCLUSION

In view of the foregoing, Applicants believe all claims now pending in this Application are in condition for allowance. The issuance of a formal Notice of Allowance at an early date is respectfully requested.

If the Examiner believes a telephone conference would expedite prosecution of this application, please telephone the undersigned at 415-576-0200.

Respectfully submitted,



William Michael Hynes
Reg. No. 24,168

TOWNSEND and TOWNSEND and CREW LLP
Two Embarcadero Center, Eighth Floor
San Francisco, California 94111-3834
Tel: 415-576-0200
Fax: 415-576-0300
Attachments
WMH:wmh
60468318 v1

014594 -
003010 US

2/5




FIG. 2.

Ventilation
Aperture
(no number)
[make lines
straight]




FIG. 4.

5/5




FIG. 5.